

AI NEXT

TECHNOLOGY · QUALITY · INNOVATION · VALUE

Intrusion Products



Request To Exit PIR

OD-22



- ▶ Relay Output
- ▶ Adjustable Relay 0.5-64 second time delay
- ▶ Micro-based signal processing
- ▶ 2 Form C Relay Output
- ▶ Dual voltage

Indoor Dual PIR

DM-360



- ▶ Anti-glare protection
- ▶ Strong anti-interference
- ▶ Microwave detection
- ▶ High density detection area
- ▶ Intelligent temperature compensation
- ▶ Anti-tamper switch protection

Indoor PIR

DS-360



- ▶ Anti-glare protection
- ▶ Pet Immune
- ▶ High density detection area
- ▶ Intelligent temperature compensation
- ▶ Anti-tamper switch protection
- ▶ Strong RFI Immunity

Wireless Transmission Module



AS-100

- ▶ No wires. Clean installation
- ▶ Easy Installation with self adhesive tape or screws
- ▶ Compact, consumes very little power
- ▶ Micro-based signal activates
- ▶ Transmitter and Receiver Relay kit
- ▶ Compatible with all wired devices.

Wireless Motion Alert



AS-500

- ▶ Motion Sensor and Base Station Receiver kit
- ▶ 3 in1 Alert/Alarm/Relay output modes
- ▶ Add up to 16 sensors, 4 per zone
- ▶ Up to 1600ft. (500m) transmission range between Motion Sensor and Receiver
- ▶ Compact and consumes very little power
- ▶ Plug and play operation, no hardwiring necessary

Pressure Sensor Mat



PSW2

- ▶ Waterproof
- ▶ Indoor/Outdoor Applications
- ▶ High Traffic Area Design
- ▶ Thermo Sealed
- ▶ Normally Open Switch

Mini Strobe Siren



SL-01

- ▶ Sounder – 108dB
- ▶ Flashes per minute – 150
- ▶ 12Vdc
- ▶ Current Draw 350mA
- ▶ Available in Blue

Emergency Panic Button



ESW-01

- ▶ Operating Voltage 250VDC
- ▶ Operating Current 300mA
- ▶ N/O and N/C Relay
- ▶ Auto Reset Mode



4700 AIRCENTER CIRCLE • RENO, NV 89502
PHONE: (775) 827-8000 • Fax: (775) 827-8044